







INTRODUCING GREENPLY'S GREEN FLOORMAX FLOORING


Untie your shoes. Slip out of those socks. Flex your bare toes and take a step in. Welcome to the Green Floormax home.

As your eyes take in the rich elegance of our floors, your feet will sense a myriad of unique textures. Floors are at the heart of all homes. Our carefully crafted Green Floormax Floors ensure that this heart is always warm, inviting and inspiring. The flooring doesn't merely decorate but enriches everyday living with timeless beauty.

As you turn the pages of our catalogue, you'll notice how art and function blend in each pattern. Go ahead, bask in the glow of nature. The Classic Oak, Autumn Walnut, Himalayan Merbau, Silver Streaks and many more from the great outdoors will now be a part of your home.

•••••







	CHERRY BRÛLÉE	FLP502	21					AR 101	
	SERENGETI SHADOW	FLP503	21					AR 102	
	TAVERN TRAILS	FLP504	21					AR 103	
	ANTIQUE CADBURY	FLP505	21					AR 104	
	SEPIA TEAK	FLP506	22	KNOW	HOW TO	THE BEST		AR 105	
PLANKED	MYSTIQUE OAK	FLP507	22	GREEN FLOORMAX Flooring	MAINTAIN Your	ACCESSORIES To go	ACCESSORY	AR 106	RECOMMENDED Accessory
DESIGNS	SAHARA GOLD	FLP508	22	BETTER 25	FLOORING 26	WITH 27	DESIGNS 29	AR 107	DESIGNS 32
	NOVA NOCE	FLP509	22					AR 108	
	CRESCENT MOONLIGHT	FLP510	23					AR 109	
	CROWNING MAPLE	FLP511	23					AR 110	
	COFFEE GLORY	FLP512	23					AR 111	
	DESERT SUN	FLP513	23					AR 112	
	CITRUS CEDAR	FLP514	24					AR 113	
	BROWNY WALNUT	FLP515	24						

is the best choice FURNISHED

Green Floormax comes with a warm wooden finish that extends an inviting look to your home. The natural wood design of the floor effortlessly creates an exotic, yet comfy air.

What's more, the specially engineered surface protection technology of Green Floormax makes it super sturdy, durable and resistant to scratches, stains and water spills. In other words, no more fretting over child and pet messes.

Installing Green Floormax is a breeze too! You'll be surprised at how quickly and easily the whole floor is laid out. The great thing is that you can move an entire floor from one room to another in no time, whenever you fancy a change in look.

Still on the fence? Here's a comprehensive list of reasons why you should switch to Green Floormax flooring.

UNMATCHED ELEGANCE

If you're looking for something contemporary yet cozy, Green Floormax flooring should be your pick.

The wide variety of colours and textures in the offing can create an ambience like no other. Our surface designs have been hand-picked in collaboration with renowned designers from Europe and crafted with a passion that reflects in the unique character of Green Floormax flooring.



TECHNICALLY SUPERIOR

The PERMACLICK™ system in Green Floormax has been developed especially for Greenply by flooring industries, Luxembourg. Their years of research combined with Greenply's extensive knowledge of the usage conditions specific to India, has made PERMACLICK™ one of the most advanced flooring interlocking system available in the country. This system gives Green Floormax an unmatched quality and finish. What's more it makes the installation process very easy.

LICENSED INTERLOCKING SYSTEM



Greenply is a licensee of flooring industries, Luxembourg and the first and only Indian manufacturer with a licensed interlocking system. All Green Floormax products comply with worldwide intellectual property and patent statutory requirements. To ensure the authenticity of a licensed product, each box of Green Floormax comes with a tamper proof L2C holographic label issued directly by flooring industries, Luxembourg*. To read more about the importance and benefits of a licensed interlocking system, please visit the webpage of flooring industries, Luxembourg at www.unilintechnologies.com*For further details visit www.L2Clabels.com

SCRATCH RESISTANT



Green Floormax flooring comes with MAX SHIELD - A unique scratch resistant protection technology that shields it against wear and tear. This specially-engineered surface coating makes floors manifold stronger and resistant to surface scratches.

SOUND ABSORBENT



Green Floormax is engineered with SONIC SPONGE - An advanced technology that allows the sound absorbent backing layer to reduce sound transmission and produce only a solid and pleasant sound underfoot.

100% HARDWOOD BASE CORE




The high density fibreboard at the core of Green Floormax floors makes them sturdier and more durable than any other flooring alternative. More so, Greenply manufactures the highest quality fibreboard in house at the same manufacturing location as the rest of the flooring components, ensuring very stringent quality parameters for the base core.



Our surface protection technology ensures dirt doesn't cling to your floor while our precise interlocking system PERMACLICK $^{\text{TM}}$ binds the planks perfectly, allowing absolutely no room for dust to accumulate.

$\textbf{PERMACLICK}^{\text{TM}} \textbf{-} \textbf{THE MOST SUPERIOR CLICK LOCK SYSTEM}$

Unlike many floors, Green Floormax floors do not have beveled edges or a V-Groove, rather a 90-degree edge between two planks.




Due to imperfections in the manufacturing process of unlicensed interlocking systems made by other manufacturers, two adjoining wood planks do not sit level but are at different heights. This results in the edge of one plank being higher than that of its adjoining plank (FIG. 1).

In such a situation, a 90 - degree angle results in a very sharp edge, creating a risk of injury when walking barefoot or a risk of tripping. To overcome this imperfection of the profile, the edges are beveled or shaped in a V-Groove to provide a gentler angle between the planks (FIG. 3).



PERFECT SURFACE (Fig. 2)

The process of beveling or V-Grooving involves trimming of each 90 - degree edge, resulting in the removal of the high-abrasive resistant layer and the decorative design layer which exposes the inner HDF core of the flooring (FIG. 3). Since the protective layers get removed, this makes the HDF core highly susceptible to water ingress as well as accumulation of dirt.




Due to the unique PERMACLICK $^{\text{TM}}$ interlocking system of Green Floormax flooring, the edges are always level. There are no surface imperfections or edges sticking out.

This means Green Floormax floors have 90 - degree edges that are safe, locked together with no portion of inner HDF core exposed. As a result, the floor is highly resistant to water ingress and dust accumulation.

Green Floormax floors have a unique angle snap method of layout that fits the planks together at a 90 - degree angle for a perfect seamless finish.

The tensile strength of the click system seals off the floor with an airtight finish that doesn't let liquid seep in and provides superior protection against moisture. As a result, our floors are more durable with minimal wear and tear.





CONVENIENT

EASY TO INSTALL

Thanks to our PERMACLICK™ system, installation can be completed in no time. Just snap the planks together and it's done.

SEAMLESS LAYOUT

Our linking technology leaves no annoying gaps or crevices, leaving you with a level, beautiful-looking floor. There just won't be any place for dirt and dust to accumulate.

ANTI-WARP

Since the top layer on Green Floormax floors is resistant to heat and temperature changes, there won't be any uncharacteristic bending or twisting of the wooden planks. Your floor will always stay solid and level.

EASILY REMOVABLE/CHANGEABLE/REINSTALLABLE

Switching floors just involves removing the planks and installing them elsewhere. Carry your floors with you anytime, anywhere.

COMMERCIAL APPLICATION



Green Floormax Plus, the AC4 grade flooring range, is high abrasion resistant with a thicker surface protection layer. It is an ideal choice for commercial spaces like offices, retail stores and hotels. The great thing is that these floors don't require a long and tedious process of installation unlike traditional materials like marble and tile. They also work out to be more cost-effective.

What's more, these floors can be laid over nearly every subfloor (be it concrete, stone, vinyl or ceramic) as long as it is level, clean, and dry.

Oh and if you're planning to shift business location, you can always remove the planks and take the floor with you.

the right floor IN THREE EASY STEPS

Selecting a design may seem overwhelming, but it doesn't have to be. Floors can be easily picked to complement your interior décor. An earthy, rugged wood design will bring your space closer to nature while smoother, lighter and softer grains will lend a subtle elegance that's chic and urbane.

Choosing a lighter wood colour will make a confined space look larger and more open while darker shades will make a large room appear cozy and intimate. Also do consider the tones of your furniture and walls for making a perfect complementary choice and achieving the right balance in your interior décor.

Green Floormax offers you an array of designs in authentic, rich wood species and textures that accentuate the natural look of wood grains, lending incomparable warmth to your home.



Here's a basic guide on what to keep in mind while selecting your floor									
	1)								
CHOOSE YOUR DESIGN									
ALLOVER DESIGN	PLANKED DESIGN								
A distinct collection of wood designs that has the look and feel of exotic wood grains in every single tile format. This flooring style leaves you with a seamless and natural look of wood.	This pattern has a more handcrafted appeal. Each wooden tile is put together in an array of 2-3 slim tiles interspersed with grains and crown, creating a rich and intricate canvas of natural woods.								
	UR TEXTURE								
OPEN GRAIN	CROWN								
Straight Line Effect	Curvy Dynamic Effect								
3									
CHOOSE YOUR GRADE									

AC3

Recommended for residential and low footfall areas.

AC4

Recommended for commercial and office spaces or high traffic areas like retail outlets and malls.











FL002 TOPAZ OAK








FL004 CLASSIC OAK













LUSCIOUS NOUGAT FL007

WINEWOOD OAK FL008







AUTUMN WALNUT FL010







SILVER STREAKS FL012













AMAZON WALNUT FL014



VERMILLION FIRE FL016







FL018 SERENE SEPIA




SUNDERBAN WENGE



EARTHERN CHERRY FL020










PLUSH WALNUT FL022



RUSSIAN RIPPLES FL023



SHERWOOD DOZUKI FL024











TAVERN TRAILS FLP504



SERENGETI SHADOW FLP503



ANTIQUE CADBURY FLP505













SAHARA GOLD FLP508 NOVA NOCE FLP509







FLP512





DESERT SUN FLP513

COFFEE GLORY







CITRUS CEDAR FLP514 BROWNY WALNUT FLP515



LAYERS

TOP LAYER

High abrasion resistance overlay

SECOND LAYER

Decorative design layer

MIDDLE LAYER

100% hardwood HDF core

BASE LAYER

Moisture resistant backing layer



RANGE

TEXTURES	THICKNESS	DESIGNS	GRADES/APPLICATIONS
Open grain finish	8 mm / 12 mm*	Allover	AC3 [Residential/Light Commercial]
Crown finish		Planked	AC4 [Commercial Space]
	•	•	•

^{*}Subject to minimum order quantity.





Green Floormax floors are easy to maintain and clean. The laminated top layer on each floor makes it so much simpler to keep it spic and span year after year.

These floors do not need any special cleaning agents or methods, just a squeezed out damp mop will do. If a plank undergoes damage, you don't need to worry too much, just replace that particular plank and your floor is as good as new.

FEW THINGS TO KEEP IN MIND WHILE CLEANING GREEN FLOORMAX FLOORS

- Sweep the floor using a standard dust mop to remove dirt and dust. When necessary wipe the floor with a squeezed out damp cloth, using only water.
- In case of spills, just wipe the floor with a dry cloth.
- Do not use any soap-based detergents or household cleaners to clean the floor.
- The surface of your flooring requires no additional treatment. No need to use wax, polish, oil or varnish on the floor.
- Do not use any type of abrasive cleaners or steel wool which may damage your floor.
- Use felt pads/rubber feet under furniture legs to avoid scratching and do not drag when moving furniture.
- Entry mats will help in collecting sand, dirt, grit and other substances, that may otherwise harm your floor.


accessories TOGOWITH

Add the perfect finishing touch with Green Floormax skirting and profiles. To complete the look of your stunning floor, you can choose from a wide range of designs that match every floor and style.

SKIRTING




Provides finish to the floors by cladding the lower part of the adjoining walls.



STAIR NOSE



Covers the open edges of the floor planks and provides a seamless transition between the horizontal and vertical sections of the staircase.






T PROFILE




Connects two sections of the floor at the same height.



REDUCER




Provides a smooth transition from the floor to a lower surface such as tiled floor or carpet.



BEADING



Creates a border between the floor and adjoining walls. Can be used as an alternate to skirting where skirting is not used.



UNDERLAY

Greenply premium 2-in-1 underlay is a combination of a 2 mm underlay and a PE foil. With the ease of just rolling out the underlay, you can level the subfloor irregularity, as well as reduce the risk of transferring humidity from the subfloor to the floor panels.

ACCESSORY DESIGNS



ACCESSORY DESIGN CODE: AR101



ACCESSORY DESIGN CODE: AR102



ACCESSORY DESIGN CODE: AR103



ACCESSORY DESIGN CODE: AR104



ACCESSORY DESIGN CODE: AR105



ACCESSORY DESIGN CODE: AR106






ACCESSORY DESIGN CODE: AR108



ACCESSORY DESIGN CODE: AR110



ACCESSORY DESIGN CODE: AR112



ACCESSORY DESIGN CODE: AR107



ACCESSORY DESIGN CODE: AR109



ACCESSORY DESIGN CODE: AR111



ACCESSORY DESIGN CODE: AR113

CERTIFICATE OF INTERLOCK LICENSE



FLOORING INDUSTRIES Ltd/Sarl

10b rue des Mérovingiens Zone Industrielle Bourmicht 8070 Bertrange Luxembourg T +352 27 00 41 81 F +352 27 00 41 90 luxinfo@unillin.com www.uniclic.com

Bertrange, 5 March 2014

TO WHOM IT MAY CONCERN

CERTIFICATE OF LICENSE

Flooring Industries, the intellectual property company of the Unilin group, hereby confirms that, at the date of this letter, the company:

GREENPLY INDUSTRIES LIMITED

Unit 2, Plot No.2, Sector 9, IIE, Sidcul Industrial Area, Pantnagar, Rudrapur – 263153, Uttarakhand, India

has a license on certain patents owned by the Unilin Group and therefore has the right to manufacture and sell certain glueless laminate and veneer flooring products used under the conditions of this license agreement.

Legal Department Flooring Industries





RECOMMENDED ACCESSORY DESIGNS

ALLOVER DESIGNS

SR NO.	GREEN FLOORMAX DESIGN CODE	GREEN FLOORMAX DESIGN NAME	RECOMMENDED ACCESSORIES CODE
1	FL001	Silver Savannah	AR 106
2	FL002	Topaz Oak	AR 112
3	FL003	Timber Trail	AR 103
4	FL004	Classic Oak	AR 101
5	FL005	Kalahari Oak	AR 101
6	FL006	Vintage Oak	AR 104
7	FL007	Luscious Nougat	AR 104
8	FL008	Winewood Oak	AR 105
9	FL009	Country Oak	AR 104
10	FL010	Autumn Walnut	AR 108
11	FLO11	Himalayan Merbau	AR 107
12	FL012	Silver Streaks	AR 104
13	FL013	Earthern Apple	AR 103
14	FL014	Amazon Walnut	AR 102
15	FLO15	Chocolate Caramel	AR 108
16	FL016	Vermillion Fire	AR 103
17	FLO17	Tropical Walnut	AR 103
18	FL018	Serene Sepia	AR 105
19	FL019	Sunderban Wenge	AR 102
20	FL020	Earthern Cherry	AR 113
21	FL021	African Ivory	AR 104
22	FL022	Plush Walnut	AR 103
23	FL023	Russian Ripples	AR 101
24	FL024	Sherwood Dozuki	AR 103
			1

PLANKED DESIGNS

SR NO.	GREEN FLOORMAX DESIGN CODE	GREEN FLOORMAX DESIGN NAME	RECOMMENDED ACCESSORIES CODE
25	FLP502	Cherry Brûlee	AR 110
26	FLP503	Serengeti Shadow	AR 107
27	FLP504	Tavern Trails	AR 101
28	FLP505	Antique Cadbury	AR 103
29	FLP506	Sepia Teak	AR 107
30	FLP507	Mystique Oak	AR 106
31	FLP508	Sahara Gold	AR 105
32	FLP509	Nova Noce	AR 101
33	FLP510	Crescent Moonlight	AR 106
34	FLP511	Crowning Maple	AR 103
35	FLP512	Coffee Glory	AR 104
36	FLP513	Desert Sun	AR 111
37	FLP514	Citrus Cedar	AR 109
38	FLP515	Browny Walnut	AR 103

















Green Floormax is produced from 100% renewable & sustainable wood resources sourced from agroforestry plantation trees.



CORPORATE OFFICE

3rd Floor, Plot No. 68, Sector 44, Gurgaon 122003, Haryana, $\hbox{E-mail: info.floormax@greenply.com}$

EXPORT OFFICE

1 George Street, #14-06, Singapore 049145 $\hbox{E-mail: export.floormax@greenply.com}\\$

REGISTERED OFFICE

Makum Road, Tinsukia 786125, Assam CIN L20211AS1990PLC003484

Website: www.greenfloormax.com | Toll Free No.: 1800-102-2999 (Monday-Friday except holidays 10.00am-5.00pm)









*Presentations in this brochure or any other Greenply Industries Limited publications are correct to the best of the knowledge of the company, at the time of preparation. Greenply Industries Limited provides this information in an advisory capacity only and reserves the right to change the specifications without prior intimation.